TOWNSHIP OF WASHINGTON COUNTY OF NORTHAMPTON COMMONWEALTH OF PENNSYLVANIA

ORDINANCE NO. 221

AN ORDINANCE OF THE TOWNSHIP OF WASHINGTON AMENDING, IN PART, ORDINANCE NO. 184, ENACTED FEBRUARY 8, 1995, AND FURTHER AMENDING ORDINANCE NO. 212, ENACTED MARCH 8, 2000, DEALING WITH CERTAIN STANDARDS FOR CONSTRUCTION OF CURBING WITHIN THE TOWNSHIP.

BE IT ENACTED AND ORDAINED by the Board of Supervisors of Washington Township, Northampton County, Pennsylvania, and it is hereby enacted and ordained by the authority of the same, as follows:

<u>Section 1</u>: Section 10.8A.10.d of the Washington Township Subdivision and Land Development Ordinance, enacted February 8, 1995, is hereby amended in its entirety, to read as follows:

Section 10.8A.10.d. minimum curb construction standards shall be in accordance with PennDOT form 408, Section 704, and in compliance with Washington Township Curbing Ordinance 212, as amended hereby.

- Section 2: Sections 10.8A.10.d (1), (2), (3), (4), (5) and (6) are hereby deleted.
- Section 3: Washington Township Curbing Ordinance No. 212, enacted March 8, 2000, is hereby amended as follows:
 - 1. Section 1 (A) is amended to read as follows:

(A) Materials – Concrete shall be Class A cement concrete complying with PennDOT Form 408, Section 704, and having a minimum 28 day design compressive strength of 3000 pounds per square inch. Expansion joint filler shall be ½ inch to ¾ inch thick pre-molded bituminous expansion joint material or as otherwise acceptable to the Engineer.

2. Section 1 (B) is amended to read as follows:

(B) Manner of Construction – Grade and alignment shall be as approved by the Township Engineer. Concrete curbs shall be eighteen (18) inches in depth, seven (7) inches wide at the top, eight (8) inches wide at the bottom and shall have an exposed face of between six (6) and eight (8) inches. Depressed curb shall maintain a 1-1/2 inch to 2 inch reveal. Curb face shall be rounded, having a ¾ inch radius. Expansion joints shall be provided at a maximum length of twenty (20) feet. Contraction joints shall be provided at ten (10) feet maximum length.

Section 4: All other provisions of Ordinance No. 184 and Ordinance No. 212 not amended hereby, shall remain in full force and effect.

<u>Section 5</u>: All other ordinances or parts thereof which are inconsistent with this Ordinance are hereby repealed.

Section 6: This Ordinance shall be placed into effect immediately upon enactment.

ORDAINED AND ENACTED by the Supervisors of the Township of Washington, County of Northampton and Commonwealth of Pennsylvania, into an Ordinance this 13th day of March, 2002.

> WASHINGTON TOWNSHIP **BOARD OF SUPERVISORS**

Daniel Crafa

ATTEST:

Mary Ann Dulaney, Secretary

Approved and certified this 13th day of March, 2002.

David Hess, Chairman

ATTEST:

Mary Ann Dulaney, Secretary